


# 37 [responses](#)

## Summary [See complete responses](#)


### Category: Health Access.



Health insurance	<b>27</b>	77%
Unmet medical need	<b>30</b>	86%
Immunizations	<b>21</b>	60%
Maternal/Child health	<b>19</b>	54%
Clinical preventive screenings	<b>24</b>	69%
Oral health	<b>19</b>	54%
Other	<b>7</b>	20%

People may select more than one checkbox, so percentages may add up to more than 100%.


### Category: Health Outcomes.



Overall health	<b>22</b>	65%
Maternal/Child health	<b>17</b>	50%
Reproductive health	<b>9</b>	26%
Communicable diseases	<b>22</b>	65%
Injury and violence	<b>19</b>	56%
Chronic diseases	<b>25</b>	74%
Mental health	<b>28</b>	82%
Alcohol abuse	<b>19</b>	56%
Drug abuse	<b>18</b>	53%
Other	<b>0</b>	0%

People may select more than one checkbox, so percentages may add up to more than 100%.


**Category: Physical and environmental determinants.**



Chronic diseases	<b>27</b>	79%
Environmental exposure	<b>19</b>	56%
Other	<b>1</b>	3%

People may select more than one checkbox, so percentages may add up to more than 100%.


**Category: Risk Factors.**



Smokers	<b>18</b>	53%
Unhealthy weight	<b>25</b>	74%
Physical inactivity	<b>21</b>	62%
Alcohol abuse	<b>20</b>	59%
Hypertension	<b>21</b>	62%
Other	<b>3</b>	9%

People may select more than one checkbox, so percentages may add up to more than 100%.

**Category: Social determinants.**



Poverty	<b>27</b>	79%
Educational attainment	<b>17</b>	50%
US Born	<b>11</b>	32%
Childhood development	<b>20</b>	59%
Other	<b>1</b>	3%

People may select more than one checkbox, so percentages may add up to more than 100%.


**Other Categories**

All ACES-Adverse Childhood Experiences Survey- indicators would be valuable. Thank you! Care of Bariatric patients Nutrition

## GOING BEYOND THE GENERAL CATEGORIES


For each category of indicators above, we welcome your input on the importance you place on the specific indicators listed for each domain. This portion of the survey is optional, but your feedback is highly valued. THANK YOU FOR YOUR INPUT.

### Health Access-Health Insurance: Percent of adults with no health insurance. No health insurance coverage among adults age 18-64.



1 - Very low	0	0%
2	0	0%
3	0	0%
4	1	3%
5	3	8%
6	1	3%
7	1	3%
8	5	14%
9	4	11%
10 - Very High	21	57%


### Health Access-Unmet medical need: Percent of adults ages 18+ with unmet medical need...Did not seek medical care because of the cost.



1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	2	5%
7	2	5%
8	8	22%
9	4	11%
10 - Very high	19	51%


### Health Access-Immunizations: Child Immunization Coverage is the percent of children 19-35 months of age who have completed 4:3:1:3:3:1 vaccine series.

1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%




5	1	3%
6	2	5%
7	6	16%
8	3	8%
9	8	22%
10 - Very high	14	38%

**Health Access-Immunizations: Percent of adults age 65+ who don't receive flu vaccine in the past year.**




1 - Very low	3	8%
2	0	0%
3	1	3%
4	1	3%
5	4	11%
6	3	8%
7	9	24%
8	6	16%
9	5	14%
10 - Very high	4	11%

**Health Access-Immunizations: Percent of seniors age 65+ with no pneumonia vaccination...Have not ever received a pneumonia vaccination.**




1 - Very low	2	5%
2	0	0%
3	0	0%
4	3	8%
5	4	11%
6	4	11%
7	5	14%
8	7	19%
9	5	14%
10 - Very high	5	14%

**Health Access-Maternal/Child Health: Late or no prenatal care...Late or no Prenatal Care is the percent of live births in which mothers began prenatal care in the third trimester of pregnancy or received no prenatal care at all per 100 live births.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	1	3%
7	2	5%
8	11	30%
9	5	14%
10 - Very high	15	41%

**Health Access-Clinical preventive screenings: Percent of women ages 50-74 not meeting mammography recommendations within two years.**




1 - Very low	2	5%
2	0	0%
3	0	0%
4	1	3%
5	4	11%
6	3	8%
7	5	14%
8	10	27%
9	5	14%
10 - Very high	6	16%

**Health Access-Clinical preventive screenings: Percent of adults ages 50-75 not meeting colorectal cancer screening guidelines...Had FOBT within 1 year, sigmoidoscopy within 5 years + FOBT within 3 years, or colonoscopy within 10 years.**




1 - Very low	2	5%
2	0	0%
3	0	0%
4	1	3%
5	6	16%
6	4	11%
7	5	14%
8	8	22%
9	6	16%
10 - Very high	4	11%

**Health Access-Clinical preventive screenings: Percent of men ages 35+ and women ages 45+ not meeting cholesterol screening guidelines...No cholesterol check in the last 5 years.**



1 - Very low	2	5%
2	0	0%
3	0	0%
4	0	0%
5	5	14%
6	6	16%
7	5	14%
8	7	19%
9	6	16%
10 - Very high	5	14%


**Health Access-Clinical preventive screenings: Percent of women ages 21-65 not meeting cervical cancer screening guidelines...No Pap Test within 3 years**



1 - Very low	2	5%
2	0	0%
3	0	0%
4	0	0%
5	5	14%
6	4	11%
7	5	14%
8	9	24%
9	4	11%
10 - Very high	7	19%


**Health Access-Oral health: Percent of adults ages 18+ who did not see dentist in last year...Did not visit a dentist, dental hygienist or dental clinic within the past year.**

1 - Very low	1	3%
2	0	0%
3	0	0%
4	4	11%
5	5	14%
6	4	11%
7	2	5%




8	6	16%
9	3	8%
10 - Very high	11	30%

**Health Outcomes-Overall Health: Life expectancy at birth...Life Expectancy at Birth is the number of years a newborn can expect to live if the current age-specific death rates stay the same for his/her life.**




1 - Very low	3	8%
2	0	0%
3	4	11%
4	0	0%
5	4	11%
6	3	8%
7	5	14%
8	6	16%
9	3	8%
10 - Very high	7	19%

**Health Outcomes-Overall health: Life expectancy at age 65...Life Expectancy at age 65 is the number of years a person aged 65 can expect to live if the current age-specific death rates stay the same for his/her life.**




1 - Very low	4	11%
2	1	3%
3	3	8%
4	0	0%
5	6	16%
6	1	3%
7	4	11%
8	9	24%
9	3	8%
10 - Very high	5	14%

**Health Outcomes-Overall health: Activity Limitation: Limited in any way in any activities because of physical, mental, or emotional problems.**




1 - Very low	2	5%
2	1	3%
3	1	3%
4	2	5%
5	5	14%
6	3	8%
7	5	14%
8	6	16%
9	5	14%
10 - Very high	6	16%

**Health Outcomes-Overall Health: Fair or poor health...Self-reported general health is poor or fair.**



1 - Very low	1	3%
2	2	5%
3	2	5%
4	2	5%
5	6	16%
6	6	16%
7	3	8%
8	5	14%
9	4	11%
10 - Very high	5	14%


**Health Outcomes-Overall Health: Mean number of unhealthy days, physical and mental...during the past 30 days.**



1 - Very low	1	3%
2	1	3%
3	3	8%
4	1	3%
5	6	16%
6	5	14%
7	5	14%
8	3	8%
9	5	14%
10 - Very high	5	14%




**Health Outcomes-Overall Health: Leading causes of death...5-year Average.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	1	3%
7	6	16%
8	10	27%
9	7	19%
10 - Very high	10	27%

**Health Outcomes-Overall Health: Years of healthy life...Years of healthy life are the number of years a newborn can expect to live with good or excellent health if current life expectancy and health rates stay the same for his/her entire life.**




1 - Very low	2	5%
2	1	3%
3	1	3%
4	0	0%
5	4	11%
6	4	11%
7	6	16%
8	4	11%
9	5	14%
10 - Very high	6	16%

**Health Outcomes-Maternal/Child health: Infant mortality rate...Infant deaths in the first year of life.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	2	5%
5	2	5%
6	2	5%
7	4	11%
8	2	5%
9	11	30%
10 - Very high	11	30%

**Health Outcomes-Maternal/Child health: Low birth weight rates--singleton births...Low birthweight-singleton Births is the percentage of singleton infants weighing less than 2500 grams at birth.**




1 - Very low	2	5%
2	0	0%
3	0	0%
4	1	3%
5	3	8%
6	4	11%
7	5	14%
8	7	19%
9	5	14%
10 - Very high	7	19%

**Health Outcomes-Maternal/Child health: Low birthweight rates--all births...Low Birth Weight-All Births is the percentage of infants weighing less than 2500 grams at birth.**




1 - Very low	2	5%
2	0	0%
3	1	3%
4	1	3%
5	5	14%
6	1	3%
7	6	16%
8	8	22%
9	4	11%
10 - Very high	7	19%

**Health Outcomes-Maternal/Child health: Very low birthweight rates--singleton births...Very Low Birth Weight-Single Births is the percentage of singleton infants weighing less than 1500 grams at birth.**




1 - Very low	2	5%
2	0	0%
3	1	3%
4	1	3%
5	5	14%
6	0	0%
7	6	16%
8	8	22%
9	6	16%
10 - Very high	6	16%

**Health Outcomes-Maternal/Child Health: Very low birthweights--all births...Very Low Birth Weight-All Births is the percentage of infants weighing less than 1500 grams at birth.**



1 - Very low	2	5%
2	0	0%
3	1	3%
4	1	3%
5	3	8%
6	2	5%
7	8	22%
8	6	16%
9	5	14%
10 - Very high	7	19%


**Health Outcomes-Maternal/Child Health: Preterm births...Preterm Births are the percent of infants born prior to 37 completed weeks of gestation.**



1 - Very low	0	0%
2	0	0%
3	1	3%
4	1	3%
5	5	14%
6	3	8%
7	4	11%
8	9	24%
9	6	16%
10 - Very high	6	16%


**Health Outcomes-Maternal/Child Health: Maternal smoking during pregnancy...Smoking during pregnancy is the percentage of infants whose mother reported smoking at any point during the pregnancy.**

1 - Very low	0	0%
2	0	0%
3	1	3%
4	0	0%
5	5	14%
6	6	16%




7	4	11%
8	5	14%
9	4	11%
10 - Very high	10	27%

**Health Outcomes-Reproductive health: Adolescent birth rate...Births to Females Ages 15 - 17.**




1 - Very low	1	3%
2	0	0%
3	1	3%
4	0	0%
5	4	11%
6	4	11%
7	2	5%
8	5	14%
9	6	16%
10 - Very high	12	32%

**Health Outcomes-Reproductive health: Adolescent pregnancy rate...Births to Females Ages 15 - 17.**




1 - Very low	2	5%
2	0	0%
3	0	0%
4	0	0%
5	4	11%
6	6	16%
7	3	8%
8	3	8%
9	6	16%
10 - Very high	11	30%

**Health Outcomes-Communicable disease: Tuberculosis incidence...TB incidence is the number of confirmed TB cases counted in a county during the specified time period.**




1 - Very low	1	3%
2	0	0%
3	2	5%
4	0	0%
5	2	5%
6	2	5%
7	3	8%
8	7	19%
9	5	14%
10 - Very high	14	38%

**Health Outcomes-Communicable disease: Chlamydia...Chlamydia Rate is the number of cases of chlamydia per 100,000 females. Due to difference in screening between males and females, only rates in females are presented.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	3	8%
6	1	3%
7	7	19%
8	7	19%
9	6	16%
10 - Very high	8	22%

**Health Outcomes-Communicable disease: Gonorrhea...Gonorrhea Rate is the number of cases per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	5	14%
6	1	3%
7	7	19%
8	8	22%
9	4	11%
10 - Very high	7	19%

**Health Outcomes-Communicable disease: HIV/AIDS Mortality...% per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	5	14%
6	0	0%
7	5	14%
8	6	16%
9	8	22%
10 - Very high	8	22%

**Health Outcomes-Communicable disease: HIV incidence (both HIV and AIDS)...HIV Incidence is the number of persons newly diagnosed with HIV each year, including those also diagnosed with AIDS.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	6	16%
6	1	3%
7	3	8%
8	8	22%
9	8	22%
10 - Very high	7	19%

**Health Outcomes-Communicable disease: HIV prevalence (both HIV and AIDS)...HIV Prevalence is the number of persons who are seropositive for the human immunodeficiency virus per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	5	14%
6	2	5%
7	4	11%
8	5	14%
9	9	24%
10 - Very high	9	24%

**Health Outcomes-Injury and violence: Homicide...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	3	8%
6	4	11%
7	4	11%
8	5	14%
9	3	8%
10 - Very high	15	41%

**Health Outcomes-Injury and violence: Assault...% assault hospitalizations per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	3	8%
6	2	5%
7	5	14%
8	5	14%
9	7	19%
10 - Very high	13	35%

**Health Outcomes-Injury and violence: Firearms related deaths...% per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	4	11%
7	5	14%
8	3	8%
9	9	24%
10 - Very high	11	30%

**Health Outcomes-Injury and violence: Motor vehicle injuries...% accident hospitalizations per 100,000 population.**




1 - Very low	<b>0</b>	0%
2	<b>0</b>	0%
3	<b>0</b>	0%
4	<b>2</b>	5%
5	<b>1</b>	3%
6	<b>3</b>	8%
7	<b>7</b>	19%
8	<b>5</b>	14%
9	<b>5</b>	14%
10 - Very high	<b>9</b>	24%

**Health Outcomes-Injury and violence: Motor vehicle accident deaths...% per 100,000 population.**



1 - Very low	<b>2</b>	5%
2	<b>0</b>	0%
3	<b>0</b>	0%
4	<b>2</b>	5%
5	<b>1</b>	3%
6	<b>4</b>	11%
7	<b>7</b>	19%
8	<b>4</b>	11%
9	<b>5</b>	14%
10 - Very high	<b>9</b>	24%


**Health Outcomes-Injury and violence: Suicide attempt hospitalization...% per 100,000 population.**



1 - Very low	<b>0</b>	0%
2	<b>0</b>	0%
3	<b>0</b>	0%
4	<b>0</b>	0%
5	<b>1</b>	3%
6	<b>0</b>	0%
7	<b>4</b>	11%
8	<b>6</b>	16%
9	<b>8</b>	22%
10 - Very high	<b>16</b>	43%




**Health Outcomes-Injury and violence: Suicide deaths...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	0	0%
7	4	11%
8	5	14%
9	7	19%
10 - Very high	17	46%

**Health Outcomes-Chronic disease: Colorectal cancer incidence...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	6	16%
8	7	19%
9	7	19%
10 - Very high	8	22%

**Health Outcomes-Chronic disease: Colorectal cancer deaths...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	3	8%
6	5	14%
7	6	16%
8	6	16%
9	6	16%
10 - Very high	9	24%

**Health Outcomes-Chronic disease: Breast cancer incidence...% per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	5	14%
8	6	16%
9	8	22%
10 - Very high	10	27%

**Health Outcomes-Chronic disease: Breast cancer deaths...% per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	6	16%
8	5	14%
9	6	16%
10 - Very high	10	27%

**Health Outcomes-Chronic disease: Heart disease deaths...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	3	8%
7	5	14%
8	6	16%
9	6	16%
10 - Very high	12	32%

**Health Outcomes-Chronic disease: Stroke deaths...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	3	8%
7	5	14%
8	6	16%
9	7	19%
10 - Very high	12	32%

**Health Outcomes-Chronic disease: Diabetes prevalence...Have been diagnosed for diabetes by a doctor.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	2	5%
7	3	8%
8	7	19%
9	7	19%
10 - Very high	13	35%

**Health Outcomes-Chronic disease: Diabetes mortality...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	3	8%
8	8	22%
9	6	16%
10 - Very high	14	38%

**Health Outcomes-Chronic disease: Diabetes related mortality...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	3	8%
8	8	22%
9	5	14%
10 - Very high	14	38%

**Health Outcomes-Chronic disease: Childhood Asthma prevalence... % of children ages 0-17 diagnosed with asthma.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	2	5%
7	4	11%
8	12	32%
9	5	14%
10 - Very high	7	19%

**Health Outcomes-Chronic disease: Childhood asthma hospitalization...% of children ages 0-17 hospitalized.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	3	8%
8	13	35%
9	7	19%
10 - Very high	6	16%

**Health Outcomes-Chronic disease: Adult (18+) asthma prevalence...Current Asthma: have been diagnosed for asthma and still have asthma.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	3	8%
6	3	8%
7	6	16%
8	7	19%
9	5	14%
10 - Very high	6	16%

**Health Outcomes-Chronic disease: Adult (18+) asthma hospitalizations.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	3	8%
7	7	19%
8	8	22%
9	5	14%
10 - Very high	7	19%

**Health Outcomes-Mental health: Suicide attempt hospitalizations...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	2	5%
7	4	11%
8	9	24%
9	3	8%
10 - Very high	16	43%

**Health Outcomes-Mental health: Suicide deaths...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	1	3%
7	4	11%
8	7	19%
9	5	14%
10 - Very high	18	49%

**Health Outcomes-Mental health: Percent of adults (18+) with depression...Current: PHQ-8 score is 10 or more. Lifetime Diagnosis of Depression: have been told to have depression by a doctor or other healthcare professional.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	3	8%
7	2	5%
8	11	30%
9	5	14%
10 - Very high	14	38%

**Health Outcomes-Mental health: Percent of youth under age 18 with depression...have been told to have depression by a doctor or other healthcare professional.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	1	3%
7	5	14%
8	5	14%
9	7	19%
10 - Very high	16	43%

**Health Outcomes-Mental health: Percent with frequent mental distress...Had 14 or more bad mental health days in the last month.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	6	16%
8	7	19%
9	5	14%
10 - Very high	12	32%

**Health Outcomes-Alcohol abuse: Alcohol-induced deaths...% per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	5	14%
8	7	19%
9	7	19%
10 - Very high	11	30%

**Health Outcomes-Drug abuse: Drug-induced deaths...% per 100,000 population.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	2	5%
7	7	19%
8	8	22%
9	6	16%
10 - Very high	10	27%

**Physical and Environmental Determinants-Chronic Disease: Childhood asthma prevalence...children under age 18.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	2	5%
6	2	5%
7	10	27%
8	6	16%
9	5	14%
10 - Very high	7	19%

**Physical and Environmental Determinants-Chronic Disease: children under age 18, % per 100,000 population.**



1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	4	11%
7	8	22%
8	6	16%
9	5	14%
10 - Very high	8	22%


**Physical and Environmental Determinants-Chronic Disease: Adult ( age 18+) asthma prevalence...have been diagnosed for asthma and still have asthma.**



1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	5	14%
7	6	16%
8	9	24%
9	4	11%
10 - Very high	7	19%




**Physical and Environmental Determinants-Chronic Disease: Adult (age 18+) asthma hospitalizations...% per 100,000 population.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	6	16%
7	6	16%
8	9	24%
9	4	11%
10 - Very high	7	19%

**Physical and Environmental Determinants-Environmental exposure: Air quality.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	1	3%
6	9	24%
7	4	11%
8	5	14%
9	4	11%
10 - Very high	10	27%

**Physical and Environmental Determinants-Environmental exposure: Water quality.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	1	3%
6	6	16%
7	5	14%
8	2	5%
9	8	22%
10 - Very high	10	27%

**Risk Factors-Smokers: Percent adult (age 18+) smokers.**




1 - Very low	<b>1</b>	3%
2	<b>0</b>	0%
3	<b>0</b>	0%
4	<b>0</b>	0%
5	<b>2</b>	5%
6	<b>6</b>	16%
7	<b>7</b>	19%
8	<b>5</b>	14%
9	<b>4</b>	11%
10 - Very high	<b>10</b>	27%

**Risk Factors-Smokers: Percent of adults (age 18+) smokeless tobacco users.**




1 - Very low	<b>1</b>	3%
2	<b>0</b>	0%
3	<b>0</b>	0%
4	<b>0</b>	0%
5	<b>2</b>	5%
6	<b>6</b>	16%
7	<b>6</b>	16%
8	<b>7</b>	19%
9	<b>4</b>	11%
10 - Very high	<b>9</b>	24%

**Risk Factors-Smokers: Percent of school age (grades 6-12) smokers.**




1 - Very low	<b>0</b>	0%
2	<b>0</b>	0%
3	<b>0</b>	0%
4	<b>0</b>	0%
5	<b>3</b>	8%
6	<b>4</b>	11%
7	<b>4</b>	11%
8	<b>6</b>	16%
9	<b>4</b>	11%
10 - Very high	<b>14</b>	38%

**Risk Factors-Unhealthy weight: Percent of adults (age 18+) overweight and obese.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	2	5%
6	2	5%
7	3	8%
8	10	27%
9	4	11%
10 - Very high	12	32%

**Risk Factors-Unhealthy weight: Percent of school age (grades 8-12) overweight and obese...Overweight and Obese for youth: top 15% BMI for age and gender.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	2	5%
7	4	11%
8	9	24%
9	2	5%
10 - Very high	17	46%

**Risk Factors-Unhealthy weight: Percent of adults (age 18+) obese. 30 BMI or greater.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	3	8%
7	5	14%
8	9	24%
9	3	8%
10 - Very high	13	35%

**Risk Factors-Unhealthy weight: Percent of school age (grades 8-12) obese...top 5% BMI for age and gender.**




1 - Very low	0	0%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	1	3%
7	4	11%
8	9	24%
9	4	11%
10 - Very high	17	46%

**Risk Factors-Physical inactivity: Not meeting recommended level of physical activity...150 minutes of moderate activity or 75 minutes of vigorous activity per week.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	4	11%
6	1	3%
7	6	16%
8	9	24%
9	3	8%
10 - Very high	9	24%

**Risk Factors-Physical inactivity: No leisure physical activity adults (age 18+)...Did not participate in any leisure-time physical activity during the past month.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	3	8%
6	5	14%
7	7	19%
8	5	14%
9	4	11%
10 - Very high	9	24%

**Risk Factors-Physical inactivity: Physical activity did not meet the recommended level of 60 minutes per day, 7 days per week.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	3	8%
6	5	14%
7	4	11%
8	5	14%
9	6	16%
10 - Very high	10	27%

**Risk Factors-Alcohol: Excessive drinking Adults (18+) (binge and/or high average)...Heavy (>60 drinks per month for men or >30 drinks per month for women) or binge (5+ drinks for men or 4+ drinks for women on one occasion) drinking.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	1	3%
6	3	8%
7	4	11%
8	13	35%
9	5	14%
10 - Very high	6	16%

**Risk Factors-Hypertension: Percent of adults (age 18+) with hypertension...Have been told to have high blood pressure by a doctor, nurse, or other health professional.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	1	3%
7	6	16%
8	9	24%
9	7	19%
10 - Very high	9	24%

**Risk Factors-Hypertension: Percent of adults (age 18+) taking hypertension medication.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	1	3%
6	1	3%
7	4	11%
8	11	30%
9	9	24%
10 - Very high	6	16%

**Risk Factors-Hypertension: Percent of (men age 35+ & women age 45+) with high blood cholesterol...Have been told to have high blood cholesterol by a doctor, nurse, or other health professional.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	0	0%
5	0	0%
6	2	5%
7	8	22%
8	8	22%
9	8	22%
10 - Very high	7	19%

**Social Determinants-Poverty: Percent living in poverty...Poverty is percent living below the Federal Poverty Level.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	1	3%
6	1	3%
7	3	8%
8	4	11%
9	4	11%
10 - Very high	19	51%

**Social Determinants-Educational attainment: Percent with less than high school education...Less than high school education is the percent of residents aged 25 and older without a high school degree.**




1 - Very low	1	3%
2	0	0%
3	0	0%
4	1	3%
5	5	14%
6	1	3%
7	4	11%
8	7	19%
9	4	11%
10 - Very high	12	32%

**Social Determinants-Educational Attainment: Percent with less than college education...Less than college education is the percent of residents aged 25 and older without a bachelor's degree or higher education.**




1 - Very low	1	3%
2	0	0%
3	1	3%
4	2	5%
5	5	14%
6	1	3%
7	3	8%
8	7	19%
9	6	16%
10 - Very high	9	24%

**Social Determinants-U.S. Born: Percent not born in U.S...Foreign-born is the percent of persons born outside of the United States or United States territories.**



1 - Very low	3	8%
2	0	0%
3	1	3%
4	2	5%
5	5	14%
6	4	11%
7	2	5%
8	6	16%
9	5	14%
10 - Very high	4	11%

**Social Determinants-Childhood development: Reading of children..."Reading to children" is the percent of households with children aged 2-5 where children were read or told stories every day by a family member.**



1 - Very low	1	3%
2	1	3%
3	0	0%
4	3	8%
5	4	11%
6	4	11%
7	2	5%
8	6	16%
9	2	5%
10 - Very high	11	30%

**What other health indicators do you recommend be tracked and reported on included in a community health needs assessment?**

Shorter survey's      All ACES indicators      Adverse Childhood Experiences (prior to age 18): 1. Psychological Abuse 2. Physical Abuse 3. Sexual Abuse 4. Emotional Neglect 5. Physical Neglect 6. Alcoholism or drug use in home 7. Loss of a biological parent 8. Mental illness in home 9. Mother treated violently 10. Imprisoned household member      We need immigration reform in the U.S.,.....

**Do you have other comments or additional observations?**

It rocks!      Thanks for doing this. It's great to see the leadership from our medical community.      Thank you.....

**Number of daily responses**

