

Community Health Needs Assessment CHNA - Community Choice

This Community Health Needs Assessment is an important step to future collaborative efforts to improve population health in our communities. We hope you take this opportunity to give us your input. The survey has five required health category questions and approximately 75 optional but important "health indicator" questions. It should take five to eight minutes to complete.

THANK YOU for providing us your input and recommendations on the importance you assign to the initial list of Community Health Indicators our Steering Committee has identified so far. This is an ongoing process and we look forward to your continued participation in completing this important Community Health Needs Assessment and future collaboration in improving our population health in North Central Washington.

If you have any questions regarding the survey, contact Jesus Hernandez at jesush@communitychoice.us.

* Required

Category: Health Access. *

Check the indicator domains that you consider highly important to track and report on in this and future health needs assessments.

- Health insurance
- Unmet medical need
- Immunizations
- Maternal/Child health
- Clinical preventive screenings
- Oral health
- Other:

Category: Health Outcomes. *

Check the indicator domains that you consider highly important to track and report on in this and future health needs assessments.

- Overall health
- Maternal/Child health
- Reproductive health
- Communicable diseases
- Injury and violence
- Chronic diseases
- Mental health
- Alcohol abuse
- Drug abuse
- Other:

Category: Physical and environmental determinants. *

Check the indicator domains that you consider highly important to track and report on in this and future health needs assessments.

- Chronic diseases
- Environmental exposure
- Other:

Category: Risk Factors. *

- Smokers
- Unhealthy weight
- Physical inactivity
- Alcohol abuse
- Hypertension
- Other:

Category: Social determinants. *

- Poverty
- Educational attainment
- US Born
- Childhood development
- Other:

Other Categories

What other categories of community health indicators would you recommend be included?

GOING BEYOND THE GENERAL CATEGORIES

For each category of indicators above, we welcome your input on the importance you place on the specific indicators listed for each domain. This portion of the survey is optional, but your feedback is highly valued. THANK YOU FOR YOUR INPUT.

Health Access-Health Insurance: Percent of adults with no health insurance. No health insurance coverage among adults age 18-64.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very High

Health Access-Unmet medical need: Percent of adults ages 18+ with unmet medical need...Did not seek medical care because of the cost.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Immunizations: Child Immunization Coverage is the percent of children 19-35 months of age who have completed 4:3:1:3:3:1 vaccine series.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Immunizations: Percent of adults age 65+ who don't receive flu vaccine in the past year.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Immunizations: Percent of seniors age 65+ with no pneumonia vaccination...Have not ever received a pneumonia vaccination.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Maternal/Child Health: Late or no prenatal care...Late or no Prenatal Care is the percent of live births in which mothers began prenatal care in the third trimester of pregnancy or received no prenatal care at all per 100 live births.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Clinical preventive screenings: Percent of women ages 50-74 not meeting mammography recommendations within two years.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Clinical preventive screenings: Percent of adults ages 50-75 not meeting colorectal cancer screening guidelines...Had FOBT within 1 year, sigmoidoscopy within 5 years + FOBT within 3 years, or colonoscopy within 10 years.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Clinical preventive screenings: Percent of men ages 35+ and women ages 45+ not meeting cholesterol screening guidelines...No cholesterol check in the last 5 years.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Clinical preventive screenings: Percent of women ages 21-65 not meeting cervical cancer screening guidelines...No Pap Test within 3 years

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Access-Oral health: Percent of adults ages 18+ who did not see dentist in last year...Did not visit a dentist, dental hygienist or dental clinic within the past year.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall Health: Life expectancy at birth...Life Expectancy at Birth is the number of years a newborn can expect to live if the current age-specific death rates stay the same for his/her life.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall health: Life expectancy at age 65...Life Expectancy at age 65 is the number of years a person aged 65 can expect to live if the current age-specific death rates stay the same for his/her life.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall health: Activity Limitation: Limited in any way in any activities because of physical, mental, or emotional problems.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall Health: Fair or poor health...Self-reported general health is poor or fair.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall Health: Mean number of unhealthy days, physical and mental...during the past 30 days.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall Health: Leading causes of death...5-year Average.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Overall Health: Years of healthy life...Years of healthy life are the number of years a newborn can expect to live with good or excellent health if current life expectancy and health rates stay the same for his/her entire life.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child health: Infant mortality rate...Infant deaths in the first year

of life.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child health: Low birth weight rates--singleton births...Low birthweight-singleton Births is the percentage of singleton infants weighing less than 2500 grams at birth.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child health: Low birthweight rates--all births...Low Birth Weight-All Births is the percentage of infants weighing less than 2500 grams at birth.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child health: Very low birthweight rates--singleton births...Very Low Birth Weight-Single Births is the percentage of singleton infants weighing less than 1500 grams at birth.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child Health: Very low birthweights--all births...Very Low Birth Weight-All Births is the percentage of infants weighing less than 1500 grams at birth.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child Health: Preterm births...Preterm Births are the percent of infants born prior to 37 completed weeks of gestation.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Maternal/Child Health: Maternal smoking during pregnancy...Smoking

during pregnancy is the percentage of infants whose mother reported smoking at any point during the pregnancy.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Reproductive health: Adolescent birth rate...Births to Females Ages 15 - 17.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Reproductive health: Adolescent pregnancy rate...Births to Females Ages 15 - 17.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Communicable disease: Tuberculosis incidence...TB incidence is the number of confirmed TB cases counted in a county during the specified time period.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Communicable disease: Chlamydia...Chlamydia Rate is the number of cases of chlamydia per 100,000 females. Due to difference in screening between males and females, only rates in females are presented.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Communicable disease: Gonorrhea...Gonorrhea Rate is the number of cases per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Communicable disease: HIV/AIDS Mortality...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Communicable disease: HIV incidence (both HIV and AIDS)...HIV Incidence is the number of persons newly diagnosed with HIV each year, including those also diagnosed with AIDS.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Communicable disease: HIV prevalence (both HIV and AIDS)...HIV Prevalence is the number of persons who are seropositive for the human immunodeficiency virus per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Homicide...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Assault...% assault hospitalizations per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Firearms related deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Motor vehicle injuries...% accident hospitalizations per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Motor vehicle accident deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Suicide attempt hospitalization...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Injury and violence: Suicide deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Chronic disease: Colorectal cancer incidence...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Chronic disease: Colorectal cancer deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Chronic disease: Breast cancer incidence...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Chronic disease: Breast cancer deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

Health Outcomes-Chronic disease: Childhood asthma hospitalization...% of children ages 0-17 hospitalized.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Chronic disease: Adult (18+) asthma prevalence...Current Asthma: have been diagnosed for asthma and still have asthma.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Chronic disease: Adult (18+) asthma hospitalizations.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Mental health: Suicide attempt hospitalizations...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Mental health: Suicide deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Mental health: Percent of adults (18+) with depression...Current: PHQ-8 score is 10 or more. Lifetime Diagnosis of Depression: have been told to have depression by a doctor or other healthcare professional.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Mental health: Percent of youth under age 18 with depression...have been told to have depression by a doctor or other healthcare professional.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Mental health: Percent with frequent mental distress...Had 14 or more bad mental health days in the last month.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Alcohol abuse: Alcohol-induced deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Health Outcomes-Drug abuse: Drug-induced deaths...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Physical and Environmental Determinants-Chronic Disease: Childhood asthma prevalence...children under age 18.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Physical and Environmental Determinants-Chronic Disease: children under age 18, % per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Physical and Environmental Determinants-Chronic Disease: Adult (age 18+) asthma prevalence...have been diagnosed for asthma and still have asthma.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Physical and Environmental Determinants-Chronic Disease: Adult (age 18+) asthma hospitalizations...% per 100,000 population.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Physical and Environmental Determinants-Environmental exposure: Air quality.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Physical and Environmental Determinants-Environmental exposure: Water quality.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Smokers: Percent adult (age 18+) smokers.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Smokers: Percent of adults (age 18+) smokeless tobacco users.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Smokers: Percent of school age (grades 6-12) smokers.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Unhealthy weight: Percent of adults (age 18+) overweight and obese.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Unhealthy weight: Percent of school age (grades 8-12) overweight and obese...Overweight and Obese for youth: top 15% BMI for age and gender.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Unhealthy weight: Percent of adults (age 18+) obese. 30 BMI or greater.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Unhealthy weight: Percent of school age (grades 8-12) obese...top 5% BMI for age and gender.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Physical inactivity: Not meeting recommended level of physical activity...150 minutes of moderate activity or 75 minutes of vigorous activity per week.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Physical inactivity: No leisure physical activity adults (age 18+)...Did not participate in any leisure-time physical activity during the past month.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Physical inactivity: Physical activity did not meet the recommended level of 60 minutes per day, 7 days per week.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Alcohol: Excessive drinking Adults (18+) (binge and/or high average)...Heavy (>60 drinks per month for men or >30 drinks per month for women) or binge (5+ drinks for

men or 4+ drinks for women on one occasion) drinking.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Hypertension: Percent of adults (age 18+) with hypertension...Have been told to have high blood pressure by a doctor, nurse, or other health professional.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Hypertension: Percent of adults (age 18+) taking hypertension medication.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Risk Factors-Hypertension: Percent of (men age 35+ & women age 45+) with high blood cholesterol...Have been told to have high blood cholesterol by a doctor, nurse, or other health professional.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Social Determinants-Poverty: Percent living in poverty...Poverty is percent living below the Federal Poverty Level.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Social Determinants-Educational attainment: Percent with less than high school education...Less than high school education is the percent of residents aged 25 and older without a high school degree.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Social Determinants-Educational Attainment: Percent with less than college education...Less than college education is the percent of residents aged 25 and older

without a bachelor's degree or higher education.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Social Determinants-U.S. Born: Percent not born in U.S...Foreign-born is the percent of persons born outside of the United States or United States territories.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

Social Determinants-Childhood development: Reading of children..."Reading to children" is the percent of households with children aged 2-5 where children were read or told stories every day by a family member.

On a scale of 1 to 10, how important is it to track and report on this community health indicator?

1 2 3 4 5 6 7 8 9 10

Very low Very high

What other health indicators do you recommend be tracked and reported on included in a community health needs assessment?

Please list additional health indicators you recommend.

Do you have other comments or additional observations?

We welcome your input...please give us your thoughts related to this community health needs assessment.

Submit

Powered by [Google Docs](#)

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)